

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **Spaceloft® Subsea**

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture High performance thermal barrier material

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Aspen Aerogels, Inc.
30 Forbes Road, Bld. B
Northborough, MA 01532
USA
+1 (508) 691-1111

Further information obtainable from:

EHS@aerogel.com

EU Importer Information: For questions relating to the UK REACH status for this product, please contact:
dawn.allan@anthesisgroup.com

1.4 Emergency telephone number:

INFOTRAC: +1-352-323-3500 (international)

+1-800-535-5053 (US only)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

Additional information:

This Article Information Sheet (AIS) is provided as a courtesy in response to customer requests. The product is classified as an article according to local regulations. Articles are not subject to this geography's hazard communication regulations.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 None

Hazard pictograms None

Signal word None

Hazard statements None

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 7631-86-9 EINECS: 231-545-4	amorphous silicon dioxide, chemically prepared substance with a Community workplace exposure limit	35.0-55.0%
CAS: 1309-48-4 EINECS: 215-171-9	magnesium oxide substance with a Community workplace exposure limit	0.0-5.0%

(Contd. on page 2)

Trade name: Spaceloft® Subsea

(Contd. of page 1)

Additional information:

Non-hazardous components are listed above due to the existence of country-specific occupational exposure level (OEL) values (see Section 8) or are being voluntarily disclosed.

The exact percentage concentration of composition has been withheld as a trade secret or is disclosed as a range due to batch variation.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures**

General information: No special measures required.

After inhalation: Supply fresh air.

After skin contact:

Wash with plenty of soap and water.

If persistent skin irritation continues, consult a doctor.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

Dust may cause mechanical eye, skin, or respiratory irritation.

Synthetic amorphous silica aerogels are hydrophobic (repel water) and may cause temporary drying and irritation of the skin, eyes, and mucous membranes.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture

Product is a super-insulator. Rolls of material will retain heat within internal layers and can ignite after the fire is extinguished.

Keep hot material away from combustible materials. Cool hot insulation with plenty of water.

5.3 Advice for firefighters

Protective equipment:

Normal firefighting procedures should be followed to avoid inhalation of smoke and gases produced by fire.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Avoid formation of dust.

Use personal protective equipment as required.

Ensure adequate ventilation.

6.2 Environmental precautions: No special measures required.

6.3 Methods and material for containment and cleaning up:

Collect using methods that avoid the generation of dust. Pick up large pieces and vacuum dust. Place in appropriate container for disposal.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Trade name: Spaceloft® Subsea

(Contd. of page 2)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Prevent formation of dust.

Avoid dust contact with eyes, skin, and clothing. Avoid breathing dust.

Ensure good ventilation/exhaustion at the workplace.

Aerogel blankets may generate dust when handled. Because aerogel dust is hydrophobic, water is not an effective dust control agent. Workplace exposures to all dusts should be controlled with standard hygiene practices. Local exhaust should be the primary dust control method. Dry vacuuming is the preferred method for cleaning up dust. This will help to minimize the area where exposure may occur. Trimmed material may be reused in secondary applications and should be promptly packed in resealable bags. Scrap material should be packed for disposal. Wash hands with soap and water after handling.

Open and handle receptacle with care.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Keep packaging tightly sealed until ready for use.

Store in a dry place.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information about design of technical facilities:

Technical measures and the application of adequate working methods take priority over the use of personal protection equipment. Use process enclosures, local exhaust ventilation, or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Ingredients with limit values that require monitoring at the workplace:

7631-86-9 amorphous silicon dioxide, chemically prepared

WEL	Long-term value: 6*, 2.4** mg/m ³ *inhalable fraction, **respirable fraction
-----	--

1309-48-4 magnesium oxide

WEL	Long-term value: 10* 4** mg/m ³ (as Mg) *inhalable dust **fume and respirable dust
-----	--

Regulatory information WEL: EH40/2020

Additional information:

Monitoring of substance concentrations in air at the workplace may be necessary to ensure compliance with official exposure limit values and adequacy of exposure controls. For further information contact the supplier or the competent authorities.

The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling insulation materials should be followed.

Respiratory protection:

Select fit and use in accordance with local and national regulations.

Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process.

(Contd. on page 4)

Trade name: Spaceloft® Subsea

(Contd. of page 3)

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Appropriate safety eye wear is recommended.

Body protection: Appropriate work clothing is recommended.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties****General Information****Appearance:**

Form:	Non-woven fabric
Colour:	According to product specification
Odour:	Odourless
Odour threshold:	No data available.
pH-value:	Mixture is non-soluble (in water).

Change in condition

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.

Flash point:	Not applicable.
Flammability (solid, gas):	Product is not flammable.
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not self-igniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not applicable.
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with water:	Insoluble.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
Solvent content:	
Solids content:	100.0 %

(Contd. on page 5)

Trade name: **Spaceloft® Subsea**

(Contd. of page 4)

9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity Not reactive under normal conditions.

10.2 Chemical stability Stable under normal conditions.

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid Avoid prolonged exposure above the recommended use temperature.

10.5 Incompatible materials: Strong acids and bases.

10.6 Hazardous decomposition products:

Combustion products include carbon dioxide, carbon monoxide, and possibly other unidentified organic compounds.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Primary irritant effect:

Skin corrosion/irritation Handling may cause dryness and may cause temporary irritation to skin.

Serious eye damage/irritation Handling may cause dryness and may cause temporary irritation to eyes.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Additional toxicological information:

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Not toxic to aquatic environment.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Not hazardous for water.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 6)

Trade name: Spaceloft® Subsea

(Contd. of page 5)

Uncleaned packaging:**Recommendation:** Cover promptly to avoid dust generation.

SECTION 14: Transport information**14.1 UN-Number**

ADR, IMDG, IATA

not regulated

14.2 UN proper shipping name

ADR, IMDG, IATA

not regulated

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class

not regulated

14.4 Packing group

ADR, IMDG, IATA

not regulated

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user

Not applicable.

14.7 Transport in bulk according to Annex II of**Marpol and the IBC Code**

Not applicable.

UN "Model Regulation":

not regulated

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
Poisons Act**Regulated explosives precursors**

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

Directive 2012/18/EU**Named dangerous substances - ANNEX I** None of the ingredients is listed.**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet for storage, processing, transport, and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not valid for the new made-up material.

Department issuing SDS: EHS Department**Contact:** ehs@aerogel.com**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

(Contd. on page 7)

Printing date 28.06.2024

Revision: 28.06.2024

Trade name: Spaceloft® Subsea

(Contd. of page 6)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

GB
